Flushing CE Primary School



Calculation policy, UPPER KS2

KEY STAGE 2

In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.

Key language: decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number

Addition and subtraction: Children build on their column methods to add and subtract numbers with up to seven digits, and they adapt the methods to calculate efficiently and effectively with decimals, ensuring understanding of place value at every stage. Children compare and contrast methods, and they select mental methods or jottings where appropriate and where these are more likely to be efficient or accurate when compared with formal column methods. Bar models are used to represent the calculations required to solve problems and may indicate where efficient methods can be chosen.	Multiplication and division: Building on their understanding, children develop methods to multiply up to 4-digit numbers by single-digit and 2-digit numbers. Children develop column methods with an understanding of place value, and they continue to use the key skill of unitising to multiply and divide by 10, 100 and 1,000. Written division methods are introduced and adapted for division by single-digit and 2-digit numbers and are understood alongside the area model and place value. In Year 6, children develop a secure understanding of how division is related to fractions. Multiplication and division of decimals are also introduced and refined in Year 6.	Fractions: Children find fractions of amounts, multiply a fraction by a whole number and by another fraction, divide a fraction by a whole number, and add and subtract fractions with different denominators. Children become more confident working with improper fractions and mixed numbers and can calculate with them. Understanding of decimals with up to 3 decimal places is built through place value and as fractions, and children calculate with decimals in the context of measure as well as in pure arithmetic. Children develop an understanding of percentages in relation to hundredths, and they understand how to work with common percentages: 50%, 25%, 10% and 1%.
--	--	--

	Year 5						
	Concrete	Pictorial	Abstract				
Year 5 Addition							
Column addition with whole numbers	Use place value equipment to represent additions. Add a row of counters onto the place value grid to show 15,735 + 4,012.	Represent additions, using place value equipment on a place value grid alongside written methods. $\frac{TTTh}{}$	Use column addition, including exchanges. TTh Th H T O 1 9 1 7 5 + 1 8 4 1 7 3 7 5 9 2 1 1				
Representing additions		Bar models represent addition of two or more numbers in the context of problem solving. $\begin{array}{c c} & & & \\ \hline fiq,57q & f28,370 & f16,725 \\ \hline fen & f2,600 & \\ Holly & f2,600 & \\ \hline f4,050 & \\ \hline \\$	Use approximation to check whether answers are reasonable. $\frac{TTh Th H T O}{2 3 4 0 5} \qquad \frac{TTh Th H T O}{2 3 4 0 5} + \frac{7 8 9 2}{2 0 2 9 7} + \frac{7 8 9 2}{3 1 2 9 7}$				
Adding tenths	Link measure with addition of decimals. Two lengths of fencing are $0.6 m$ and 0.2 m. How long are they when added together?	Use a bar model with a number line to add tenths.	Understand the link with adding fractions. $\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$				

	0.6 m 0.2 m	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	6 tenths + 2 tenths = 8 tenths 0·6 + 0·2 = 0·8
Adding decimals using column addition	Use place value equipment to represent additions. Show 0.23 + 0.45 using place value counters.	Use place value equipment on a place value grid to represent additions. Represent exchange where necessary. $\underbrace{\bigcirc & \hline Tth & Hth}_{\bullet & \bullet &$	Add using a column method, ensuring that children understand the link with place value. $\frac{O \cdot Tth Hth}{0 \cdot 2 \cdot 3}$ $+ \frac{0 \cdot 4 \cdot 5}{0 \cdot 6 \cdot 8}$ Include exchange where required, alongside an understanding of place value. $\frac{O \cdot Tth Hth}{0 \cdot 9 \cdot 2}$ $+ \frac{0 \cdot 3 \cdot 3}{1 \cdot 2 \cdot 5}$ Include additions where the numbers of decimal places are different. $3.4 + 0.65 = ?$ $\frac{O \cdot Tth Hth}{3 \cdot 4 \cdot 0}$ $+ \frac{0 \cdot 6 \cdot 5}{-3}$
Year 5 Subtraction			
Column subtraction with whole numbers	Use place value equipment to understand where exchanges are required. 2,250 – 1,070	Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required.	Use column subtraction methods with exchange where required.

	$15,735 - 2,582 = 13,153$ $\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\frac{\text{TTh Th H T O}}{\frac{56}{57} \text{ Hz 10 q 7}} - \frac{18534}{43563}$ 62,097 - 18,534 = 43,563
Checking strategies and representing subtractions	Bar models represent subtractions in problem contexts, including 'find the difference'. Athletics Stadium 75,450 Hockey Centre $42,300$ Velodrome $15,735 \leftarrow ?$	Children can explain the mistake made when the columns have not been ordered correctly. $\begin{array}{r} \hline \\ \hline $
Choosing efficient methods		To subtract two large numbers that are close, children find the difference by counting on. 2,002 - 1,995 = ? Use addition to check subtractions. <i>I calculated</i> 7,546 - 2,355 = 5,191. <i>I will check using the inverse.</i>

Subtracting decimals	Explore complements to a whole number by working in the context of length. 0.49 m 1 m - 0 m = 0 m 1 - 0.49 = ?	Use a place value grid to represent the stages of column subtraction, including exchanges where required. $5 \cdot 74 - 2 \cdot 25 = ?$ \bigcirc $\boxed{\text{Tth}}$ $\boxed{\text{Hth}}$ \bigcirc \bigcirc $\boxed{\text{Tth}}$ $\boxed{\text{Hth}}$ \bigcirc \bigcirc $\boxed{\text{Tth}}$ $\boxed{\text{Hth}}$ \bigcirc \bigcirc $\boxed{\text{Tth}}$ $\boxed{\text{Hth}}$ \bigcirc \bigcirc $\boxed{\text{C} \cdot \text{Tth}}$ $\boxed{\text{Hth}}$ \bigcirc \bigcirc $\boxed{\text{C} \cdot \text{Tth}}$ $\boxed{\text{C} \cdot \text{C} \cdot \text{C}^{2} \cdot 14}$ $= 2 \cdot 2 \cdot 5$ $\boxed{\text{C} \cdot \text{C} \cdot \text{Tth}}$ $\boxed{\text{C} \cdot \text{Tth}}$ $\boxed{\text{C} \cdot \text{Tth}}$ $\boxed{\text{C} \cdot \text{Tth}}$ $\boxed{\text{C} \cdot \text{C} \cdot \text{C}^{2} \cdot 14}$ $= 2 \cdot 2 \cdot 2 \cdot 5$ $\boxed{\text{C} \cdot \text{C} \cdot 14}$ $= 2 \cdot 2 \cdot 2 \cdot 5$ $\text{C$	Use column subtraction, with an understanding of place value, including subtracting numbers with different numbers of decimal places. $3.921 - 3.75 = ?$ $\frac{0 \cdot \text{Tth } \text{Hth } \text{Thth}}{3 \cdot 9 2 1}$ $- \frac{3 \cdot 7 5 0}{.}$
Year 5 Multiplication			
Understanding factors	Use cubes or counters to explore the meaning of 'square numbers'. 25 is a square number because it is made from 5 rows of 5. Use cubes to explore cube numbers.	Use images to explore examples and non- examples of square numbers. $8 \times 8 = 64$ $8^2 = 64$	Understand the pattern of square numbers in the multiplication tables. Use a multiplication grid to circle each square number. Can children spot a pattern?

	8 is a cube number.	12 is not a square number, because you cannot multiply a whole number by itself to make 12.	
Multiplying by 10, 100 and 1,000	Use place value equipment to multiply by 10, 100 and 1,000 by unitising. $\frac{4 \times 1 = 4 \text{ ones} = 4}{4 \times 10 = 4 \text{ tens} = 40}$	Understand the effect of repeated multiplication by 10.	Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000. H T O I 7 $17 \times 10 = 170$ $17 \times 100 = 17 \times 10 \times 10 = 1,700$ $17 \times 1,000 = 17 \times 10 \times 10 = 17,000$
Multiplying by multiples of 10, 100 and 1,000	Use place value equipment to explore multiplying by unitising.	Use place value equipment to represent how to multiply by multiples of 10, 100 and 1,000. $4 \times 3 = 12$ $4 \times 300 = 1,200$ $6 \times 4 = 24$ $6 \times 400 = 2,400$	Use known facts and unitising to multiply. $5 \times 4 = 20$ $5 \times 40 = 200$ $5 \times 400 = 2,000$ $5 \times 4,000 - 20,000$ $5,000 \times 4 = 20,000$
Multiplying up to 4-digit numbers by a single digit	Explore how to use partitioning to multiply efficiently. 8 × 17 = ?	Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 1,000s.	Use an area model and then add the parts.


			11	Ŧ	0		100		60	3
		100	H	T (0) (0) (0) (0)	0		5 100 × 5 =	500 6	50 × 5 = 300	3 × 5 = 15
				,						
		000	0) 0)	00000000000000000000000000000000000000			Use a colui required ex			ncluding any
			(10				I 3 6 × 6			
	8 × 10 = 80 8 × 7 = 56		0	00000			$\frac{8 6}{2 3}$			
	80 + 56 = 136		00		000		2 3			
	So, 8 × 17 = 136									
Multiplying 2-	Partition one number into 10s and 1s, then		an area n	nodel and	l add the pa	rte		o multir	olication, en	surina
digit numbers	add the parts.					1.5.				at each stage.
by 2-digit numbers	23 × 15 = ?	28 ×	< 15 = ?				34			
		Г	20	m	8 m	H T O 2 0 0	× 27			
		10 m	20 × 10 =	200 m ²	8 × 10 = 80 m ²	100	23 ₂ 83	4 × 7		
						80 +40				
		5 m	20 × 5 =	100 m ²	$8 \times 5 = 40 \text{ m}^2$	4 2 0	3 4			
		0.0	45 400				× 27			
	1 5 0 $3 \times 15 = 45 + 4 5$	28 x	< 15 = 420				$23_{2}83_{2}$			
	There are 345 bottles of milk in total. $\frac{3 \ 4 \ 5}{1}$						680 3	4 × 20		
	22.45.245						3 4			
	23 × 15 = 345						× 27			
							2	+ × 7 + × 20		
							9 8 34			
							1			

Multiplying up to 4-digits by 2-digits	Use the area model then add the parts. 10	Use column multiplication, ensuring understanding of place value at each stage. $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$

Multiplying decimals by 10, 100 and 1,000	Use place value equipment to explore and understand the exchange of 10 tenths, 10 hundredths or 10 thousandths.	Represent multiplication by 10 as exchange on a place value grid.	Understand how this exchange is represented on a place value chart. $\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Year 5 Division			
Understanding factors and prime numbers	Use equipment to explore the factors of a given number. 24 ÷ 3 = 8 24 ÷ 8 = 3 8 and 3 are factors of 24 because they divide 24 exactly. 24 ÷ 5 = 4 remainder 4. 5 is not a factor of 24 because there is a remainder.	Understand that prime numbers are numbers with exactly two factors. $13 \div 1 = 13$ $13 \div 2 = 6 r 1$ $13 \div 4 = 4 r 1$ 1 and 13 are the only factors of 13. 13 is a prime number.	Understand how to recognise prime and composite numbers. <i>I know that 31 is a prime number because it</i> <i>can be divided by only 1 and itself without</i> <i>leaving a remainder.</i> <i>I know that 33 is not a prime number as it</i> <i>can be divided by 1, 3, 11 and 33.</i> <i>I know that 1 is not a prime number, as it</i> <i>has only 1 factor.</i>
Understanding inverse operations and the link with multiplication, grouping and sharing	Use equipment to group and share and to explore the calculations that are present. <i>I have 28 counters.</i> <i>I made 7 groups of 4. There are 28 in total.</i>	Represent multiplicative relationships and explore the families of division facts.	Represent the different multiplicative relationships to solve problems requiring inverse operations.

	I have 28 in total. I shared them equally into 7 groups. There are 4 in each group. I have 28 in total. I made groups of 4. There are 7 equal groups.	60 ÷ 4 = 15 60 ÷ 15 = 4	$12 \div 3 = 12$ $12 \div 0 = 3$ $3 = 12$ $2 \div 3 = 12$ $2 \div 3 = 12$ Understand missing number problems for division calculations and know how to solve them using inverse operations. $22 \div 2 = 2$
Dividing whole numbers by 10, 100 and 1,000	Use place value equipment to support unitising for division. $4,000 \div 1,000$ $4,000 \times 1,000$ 4,000 is 4 thousands. $4 \times 1,000 = 4,000$ So, $4,000 \div 1,000 = 4$	Use a bar model to support dividing by unitising. $380 \div 10 = 38$ $\boxed{7 7 7 7 7 7 7 7}$ 380 $10 \times \boxed{380 \text{ is } 38 \text{ tens.}}$ $38 \times 10 = 380$ $10 \times 38 = 380$ So, $380 \div 10 = 38$	Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000. $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
Dividing by multiples of 10, 100 and 1,000	Use place value equipment to represent known facts and unitising.	Represent related facts with place value equipment when dividing by unitising.	Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check. $3,000 \div 5 = 600$ $3,000 \div 50 = 60$ $3,000 \div 500 = 6$ $5 \times 600 = 3,000$

	 15 ones put into groups of 3 ones. There are 5 groups. 15 ÷ 3 = 5 15 tens put into groups of 3 tens. There are 5 groups. 150 ÷ 30 = 5 	180 is 18 tens.18 tens divided into groups of 3 tens. There are 6 groups. $180 \div 30 = 6$ 1 1 1 1 11 1 1 1 11 0 1 0 10 101 1 1 1 11 0 1 0 101 1 1 1 11 0 1 0 101 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 1 1 1 11 2 ones divided into groups of 4. There are 3 groups.1 2 hundreds divided into groups of 4 hundreds. There are 3 groups.1 2 00 ÷ 400 = 3	50 × 60 = 3,000 500 × 6 = 3,000
Dividing up to four digits by a single digit using short division	Explore grouping using place value equipment. 268 ÷ 2 = ? There is 1 group of 2 hundreds. There are 3 groups of 2 tens. There are 4 groups of 2 ones. 264 ÷ 2 = 134	Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting. 4 4 8 00000000000000000000000000000000	Use short division for up to 4-digit numbers divided by a single digit. $ \begin{array}{r} 0 & 5 & 5 & 6 \\ 7 & 3 & 38 & 3q & 42 \end{array} $ $ 3,892 \div 7 = 556 $ Use multiplication to check. $ 556 \times 7 = ? $ $ 6 \times 7 = 42 $ $ 50 \times 7 = 350 $ $ 500 \times 7 = 3500 $ 3,500 + 350 + 42 = 3,892



Dividing decimals by 10, 100 and	Understand division by 10 using exchange.	Represent division using exchange on a place value grid.	Understand the movement of digits on a place value grid.
1,000	2 ones are 20 tenths. 20 tenths divided by 10 is 2 tenths.	\circ T th H th \circ \circ \bullet \circ \bullet	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Understanding the relationship between fractions and division	Use sharing to explore the link between fractions and division. <i>1 whole shared between 3 people.</i> <i>Each person receives one-third.</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>()</i> <i>(</i>	Use a bar model and other fraction representations to show the link between fractions and division. $I \div 3 = \frac{1}{3}$	Use the link between division and fractions to calculate divisions. $5 \div 4 = \frac{5}{4} = 1\frac{1}{4}$ $11 \div 4 = \frac{11}{4} = 2\frac{3}{4}$
		Year 6	
	Concrete	Pictorial	Abstract


Year 6 Addition			
Comparing and selecting efficient methods	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.	Discuss similarities and differences between methods, and choose efficient methods based on the specific calculation. Compare written and mental methods alongside place value representations. +3,000 + 500 + 20 + 20 + 20 + 20 + 20 + 20	Use column addition where mental methods are not efficient. Recognise common errors with column addition. $32,145 + 4,302 = ?$ $\frac{TTh Th H T O}{3 2 1 4 5}$ $+ \frac{4 3 0 2}{3 6 4 4 7}$ $+ \frac{4 3 0 2}{7 5 1 6 5}$ $Which method has been completedaccurately?$ What mistake has been made? Column methods are also used for decimal additions where mental methods are not efficient. $\frac{H T O Tth Hth}{1 4 0 \cdot 0 9}$ $+ \frac{4 9 \cdot 8 9}{1 8 9 \cdot 9 8}$
Selecting mental methods for larger numbers where appropriate	Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods. $\underbrace{M + HTh + TTh + H + T + 0}_{2,411,301} + 500,000 = ?$	Use a bar model to support thinking in addition problems. 257,000 + 99,000 = ? ? £100,000	Use place value and unitising to support mental calculations with larger numbers. 195,000 + 6,000 = ? 195 + 5 + 1 = 201 195 thousands + 6 thousands = 201 thousands

Understanding order of operations in calculations	This would be 5 more counters in the HTh place. So, the total is 2,911,301. 2,411,301 + 500,000 = 2,911,301 Use equipment to model different interpretations of a calculation with more than one operation. Explore different results. $3 \times 5 - 2 = ?$	I added 100 thousands then subtracted 1 thousand. 257 thousands + 100 thousands = 357 thousands 257,000 + 100,000 = 357,000 357,000 - 1,000 = 356,000 So, 257,000 + 99,000 = 356,000 Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations. 16×4 16×4 16×4 16×6 $16 \times 4 + 16 \times 6$	So, 195,000 + 6,000 = 201,000 Understand the correct order of operations in calculations without brackets. Understand how brackets affect the order of operations in a calculation. $4 + 6 \times 16$ 4 + 96 = 100 $(4 + 6) \times 16$ $10 \times 16 = 160$
Year 6	$ \begin{array}{c} \downarrow \\ 3 \times 3 = 9 \end{array} $		
Subtraction Comparing and selecting	Use counters on a place value grid to represent subtractions of larger numbers.	Compare subtraction methods alongside place value representations.	Compare and select methods. Use column subtraction when mental
efficient methods	Th H T O Image: Construction of the spectrum of the spectr	$\begin{array}{c c} \hline \\ \hline $	methods are not efficient. Use two different methods for one calculation as a checking strategy. $\frac{\frac{Th}{1} + \frac{T}{8} - \frac{O}{1}}{\frac{3}{9} + \frac{4}{4}} + \frac{6}{1,52} - \frac{400}{1,552} + \frac{6}{1,552} + 6$

		$\frac{\begin{array}{c} Th \ H \ T \ O}{2 \ 6 \ 7 \ q}}{- 5 \ 3 \ 4 \ 2 \ 1 \ 4 \ 5}$ Use a bar model to represent calculations, including 'find the difference' with two bars as comparison. $\underbrace{\begin{array}{c} computer game \\ puzzle \ book \end{array}}_{fl2\cdot50}$	Use column subtraction for decimal problems, including in the context of measure. $ \frac{H T O Tth \ Hth}{3 0 9 6 0} \\ - \frac{2 0 6 4 0}{1 0 3 2 0} $
Subtracting mentally with larger numbers		Use a bar model to show how unitising can support mental calculations. 950,000 - 150,000 That is 950 thousands - 150 thousands $950 \xrightarrow{950}{150} \xrightarrow{950}{800}$ So, the difference is 800 thousands. 950,000 - 150,000 = 800,000	Subtract efficiently from powers of 10. 10,000 - 500 = ?
Year 6 Multiplication			
Multiplying up to a 4-digit number by a single digit number	Use equipment to explore multiplications. $\begin{array}{c c} \hline Th & H & T & 0 \\ \hline \hline 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ \hline 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 & 0 $	Use place value equipment to compare methods. Method I 3 2 2 5 3 2 2 5 3 2 2 5 3 2 2 5 4 3 2 2 5 1 2 9 0 0 1 1 2	Understand area model and short multiplication. Compare and select appropriate methods for specific multiplications.

	2,345 × 4	Method 2	Method 3 3,000 200 20 5 4 $12,000$ 800 80 20 12.000 + 800 + 80 + 20 = 12,900 Method 4 3 2 2 5 $\times $ 4 1 2 9 0 0 1 2 9 0 0
Multiplying up to a 4-digit number by a 2-digit number		Use an area model alongside written multiplication. Method I $1,000$ 200 30 5 20 $20,000$ $4,000$ 600 100 1 $2,000$ $4,000$ 600 100 1 $1,000$ 200 30 5 × 2 2 1×5 3 0 1×30 2 0 1×200 1 0 0 $1 \times 1,000$ 1 0 0 20×30 4 0 0 $20 \times 1,000$ 2 0 0 0 2 0 0 0 2 0 0 0 2 0 0 0 2 5 9 3 2 5 9 3	Use compact column multiplication with understanding of place value at all stages. $ \begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$
Using knowledge of factors and partitions to compare methods for multiplications	Use equipment to understand square numbers and cube numbers. $5 \times 5 = 5^2 = 25$ $5 \times 5 \times 5 = 5^3 = 25 \times 5 = 125$	Compare methods visually using an area model. Understand that multiple approaches will produce the same answer if completed accurately.	Use a known fact to generate families of related facts.

		5.200 5.000 200 5.200 × 20 25 5.000 × 25 200 × 25 5 5.200 × 25 5.200 × 25 5.200 × 25 20 5.000 × 20 200 × 20 5.200 × 25 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 5 5.200 × 5 5.200 × 5 5.200 × 5 6 5 5.200 ×	Use factors to calculate efficiently. 15×16 $= 3 \times 5 \times 2 \times 8$ $= 3 \times 8 \times 2 \times 5$ $= 24 \times 10$ = 240
Multiplying by 10, 100 and 1,000	Use place value equipment to explore exchange in decimal multiplication. $ \underbrace{T \circ Tth}_{Represent 0^{-3}} $ $ \underbrace{T \circ Tth}_{Wultiply by 10.} $ $ \underbrace{T \circ Tth}_{O \circ O \circ O}_{O \circ O \circ}_{O \circ}_{O \circ O \circ}_{O \circ}$	Understand how the exchange affects decimal numbers on a place value grid. $ \begin{array}{c c} \hline & & & \\\hline \\ & & & \\\hline & & & \\\hline & & & \\\hline & & & \\\hline \\ & & & \\\hline & & & \\\hline & & & \\\hline \\ \hline \\ $	Use knowledge of multiplying by 10, 100 and 1,000 to multiply by multiples of 10, 100 and 1,000. $8 \times 100 = 800$ $8 \times 300 = 800 \times 3$ = 2,400 $2.5 \times 10 = 25$ $2.5 \times 20 = 2.5 \times 10 \times 2$ = 50
Multiplying decimals	Explore decimal multiplications using place value equipment and in the context of measures.	Represent calculations on a place value grid.	Use known facts to multiply decimals. $4 \times 3 = 12$ $4 \times 0.3 = 1.2$ $4 \times 0.03 = 0.12$ $20 \times 5 = 100$ $20 \times 0.5 = 10$ $20 \times 0.05 = 1$



Dividing by a single digit	Use equipment to make groups from a total. There are 78 in total. There are 6 groups of 13. There are 13 groups of 6.	HTOHTOHTOHTOGoodOHTHTHTHTHTHTHTHTHTHTHTHTHTHTHHHHHH <tr< th=""><th>Use short division to divide by a single digit.</th></tr<>	Use short division to divide by a single digit.
Dividing by a 2-digit number using factors	Understand that division by factors can be used when dividing by a number that is not prime.	Use factors and repeated division. $1,260 \div 14 = ?$ $1,260 \div 2 = 630$ $630 \div 7 = 90$ $1,260 \div 14 = 90$	$132 \div 6 = 20 + 2 = 22$ Use factors and repeated division where appropriate. $2,100 \div 12 = ?$ $2.100 \rightarrow (+2) \rightarrow (+6) \rightarrow$ $2.100 \rightarrow (+6) \rightarrow (+2) \rightarrow$ $2.100 \rightarrow (+6) \rightarrow (+2) \rightarrow$ $2.100 \rightarrow (+3) \rightarrow (+4) \rightarrow$ $2.100 \rightarrow (+3) \rightarrow (+2) \rightarrow (+2) \rightarrow$
Dividing by a 2-digit number using long division	Use equipment to build numbers from groups.	Use an area model alongside written division to model the process. $377 \div 13 = ?$	Use long division where factors are not useful (for example, when dividing by a 2-digit prime number). Write the required multiples to support the division process. $377 \div 13 = ?$

	182 divided into groups of 13. There are 14 groups.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Dividing by 10, 100 and 1,000	Use place value equipment to explore division as exchange.	Represent division to show the relationship with multiplication. Understand the effect of dividing by 10, 100 and 1,000 on the digits on a place value grid.	Use knowledge of factors to divide by multiples of 10, 100 and 1,000.

	0 Th Hth Thth 0 Th Th Hth Thth 0 Th Th Hth Thth 0 Th Th Th Th Th 0 Th Th Th Th Th Th Exchange each 0-1 for ten 0-01s. Divide 20 counters by 10. Divide 20 counters by 10. Th 0-2 is 2 tenths. 2 tenths is equivalent to 20 hundredths. 20 hundredths. 20 hundredths. 20 hundredths. 20 hundredths. Nundredths. Nundredths. Nundredths. Nundredths.	$ \begin{array}{c} 12 \\ \hline 1 \\ \hline 1 \\ \hline 1 \\ \hline 2 \\ 2 \\ \hline 2 \\ 2 \\ \hline 2 \\ 2 \\ \hline 2 \\ \hline 2 \\ 2 \\ 2 \\ \hline 2 \\ 2 \\ 2 \\ \hline 2 \\ 2 \\ 2 \\ 2 \\ \hline 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\ 2 \\$	$40 \div 50 =$ $40 \rightarrow (\div 10) \rightarrow (\div 5) \rightarrow ?$ $40 \rightarrow (\div 5) \rightarrow (\div 10) \rightarrow ?$ $40 \div 5 = 8$ $8 \div 10 = 0.8$ So, $40 \div 50 = 0.8$
Dividing decimals	Use place value equipment to explore division of decimals.	Use a bar model to represent divisions. $\begin{array}{c c} 0.8 \\ ? & ? & ? & ? \\ 4 \times 2 = 8 & 8 \div 4 = 2 \\ So, 4 \times 0.2 = 0.8 & 0.8 \div 4 = 0.2 \end{array}$	Use short division to divide decimals with up to 2 decimal places. 8 $\boxed{4 \cdot 2 4}$ 0 \cdot 8 $\boxed{4 \cdot ^{4}2 4}$ 0 $\cdot 5$ 8 $\boxed{4 \cdot ^{4}2 ^{2}4}$ 0 $\cdot 5 ^{3}$ 8 $\boxed{4 \cdot ^{4}2 ^{2}4}$ 8 $\boxed{4 \cdot ^{4}2 ^{2}4}$