

FLUSHING C of E PRIMARY SCHOOL

COVID-19 - Outbreak Management /Contingency Plan

Introduction

The key principles set out in the contingency framework are:

- maximise the number of children in face-to-face education or childcare and minimise any disruption in a way that best manages the COVID-19 risk
- managing transmission should be weighed against any educational interruptions
- measures should affect the minimum number of children for the shortest time
- attendance restrictions advised as a last resort

Settings are required to update their contingency plan (or outbreak management plan) and describe how they will respond if children, pupils, students or staff test positive for COVID-19, how they will operate if they are advised to reintroduce any measures to help break chains of transmission. Such measures should be considered in addition to the day to day control measures being implemented by settings, and will fall into 3 categories:

1. Baseline control measures (green) – settings can implement any of these without additional support/approval and prior to an outbreak
2. Additional outbreak control measures - **settings should consider these actions when a threshold is met.**
3. Enhanced outbreak control measures - **some, or all of these measures may be recommended following a risk assessment (IMT) with local authority public health or the SWHPT.**
4. Exceptional outbreak control measures – **these measures may be recommended in exceptional circumstances following a joint risk assessment (education and public health) via an Outbreak Control Team (OCT) meeting**

The DfE has now defined 'thresholds' to indicate that transmission may be occurring within a setting and additional control measures may be needed. For most education and childcare settings, whichever of these thresholds is reached first:

- 5 children, pupils, students or staff, who are likely to have mixed closely, test positive for COVID-19 within a 10-day period; or
- 10% of children, pupils, students or staff who are likely to have mixed closely test positive for COVID-19 within a 10-day period.

Plus, additional health protection thresholds for support:

- There are any admissions to hospital for ARI/COVID-19
- You are having problems implementing the control measures.
- You have applied the control measures and are still seeing a significant rise in cases.

For special schools, residential settings, and settings that operate with 20 or fewer children, pupils, students and staff at any one time:

- 2 children, pupils, students and staff, who are likely to have mixed closely, test positive for COVID-19 within a 10-day period.

Report outbreak for risk assessment if you meet the below thresholds (s) via your local process or via DfE helpline (0800 046 8687).

COVID-19 - Outbreak Management /Contingency Plan Checklist

Please note the following considerations, should attendance be restricted for any reason:

Remote Learning:

High-quality remote learning in schools, further education and higher education settings should be provided for all pupils and students if:

- they have tested positive for COVID-19 but are well enough to learn from home; or
- attendance at their setting has been temporarily restricted

SEE APPENDIX 1 – HOME LEARNING PROVISION

Safeguarding measures:

- Review child protection policy to make sure it reflects any local restrictions and remains effective.
- Aim to have a trained DSL or deputy DSL on site wherever possible.
(DSL-Mark French/Deputy DSL-Helen Murrells/Deputy Deputy DSL-Zoe Mitchell)
- If the DSL (or deputy or deputy-deputy) can't be on site, the DSL can be contacted remotely by email (head@flushing.cornwall.sch.uk).

SEE SAFEGUARDING POLICY

Current Baseline Measures (in place at all times)	Date in place
Follow and promote public health guidance on testing, self-isolation and managing confirmed cases of COVID-19	7/9/21
Setting based contact tracing of staff cases with staff contacts reported to isolation hub (020 3743 6715)	
Maintain appropriate cleaning regimes	
Keep occupied spaces well ventilated	
Appropriate use of PPE	
Deliver strong messaging about signs and symptoms of Covid-19, isolation advice and testing to support prompt isolation of suspected cases	
Encourage vaccination uptake for eligible students and staff	
Promotion of PCR testing for close contacts identified by NHS Test and Trace	
Additional Baseline Measures (tailored to the school environment)	Date in place
Parents not allowed on site during school times (bar Breakfast Club and pastoral meetings)	7/9/21
No bubble, but classes are kept apart as much as possible using staggered play/lunch times.	
Staff contacts reduced by staff meetings online and staff room closure.	
Staff and volunteers self-administering LFT's twice a week.	
Non-educational visitors signposted to out of hours visits. Essential visitors to wear a mask in classrooms.	
<i>The additional measures will be kept under review.</i>	

THRESHOLD FOR ADDITIONAL OUTBREAK CONTROL MEASURES

The DfE has now defined 'thresholds' to indicate that transmission may be occurring within a setting and additional control measures may be needed. For most education and childcare settings, whichever of these thresholds is reached first:

5 children, pupils, students or staff, who are likely to have mixed closely, test positive for COVID-19 within a 10-day period.

Plus, additional health protection thresholds for support:

- There are any admissions to hospital for ARI/COVID-19
- You are having problems implementing the control measures.
- You have applied the control measures and are still seeing a significant rise in cases.

Additional Outbreak Control Measures <i>Settings should consider these actions when a threshold is met.</i>		
Additional Measures for Consideration where Thresholds Apply	When to consider	In place and date stood up
Provide warn and inform information to identified group (e.g. class, year group, common activities group).	As standard	Yes/no Date:
Strengthened communications to reinforcing advice on symptoms and case isolation.	As standard and when asymptomatic testing uptake is not optimal	Yes/no Date:
Consider moving activities outdoors, including exercise, assemblies and classes.	As standard when feasible (e.g. weather) with priority given to activities where large groups gather, there is contact between those who would not usually mix or where singing, shouting or exercise may be taking place	Yes/no Date:
Further improvement of ventilation indoors (where this would not significantly impact thermal comfort)	As standard, with particular focus on improving ventilation during activities where singing, shouting or exercise may be taking place	Yes/no Date:
One-off enhanced cleaning focusing on touch points and any shared equipment	As standard	Yes/no Date:
Review and reinforcement of hygiene measures	As standard, with particular support for those where maintaining hygiene standards may be difficult (for example younger cohorts)	Yes/no Date:
Promote vaccination uptake for eligible staff	As standard	Yes/no Date:

Enhanced Outbreak Control Measures <i>Some, or all of these measures may be recommended following a risk assessment with local authority public health or the SWHPT. These are likely to be considered when:</i> <ul style="list-style-type: none"> - <i>There is evidence of transmission within the setting, and additional measures will add value in reducing the risk of ongoing transmission; and/or</i> - <i>There are multiple groups within the setting who meet the threshold for considering additional action (as this may indicate increased risk of transmission within the setting)</i> 		
Measures	Action	Additional planning
Increased frequency of LFD testing	If evidence of significant spread within the setting. This may include increasing the frequency of home testing to daily for a well-defined cohort.	<ul style="list-style-type: none"> • Identify the daily testing cohort • Advise on local processes for accessing test kits if necessary Plus: <ul style="list-style-type: none"> • Clear comms: to parent / carers and on your setting website
Promoting social distancing and reducing crowding.	When evidence, or high risk of transmission between groups or where there is evidence of significant transmission within the setting. This may include reducing the number of children gathering together and minimising pinch points in the school day Limit: <ul style="list-style-type: none"> • whole setting activities 	




	<p>Reintroduce:</p> <ul style="list-style-type: none"> staggered parent drop off/pick up times at primary and early years 	Use previous Risk Assessment regarding implementation of any of these measure to adjust school organisation.
Introduce methods to reduce intergroup mixing (for example separate break times, staggered entry etc.)	<p>Evidence, or high risk of inter-group spread within the setting (e.g. not via siblings or out of school activities). This measure is most likely to be effective when there is substantial mixing between classes and most likely to be proportionate when implementing does not disrupt lesson planning.</p> <p>Create:</p> <ul style="list-style-type: none"> smaller groups / bubbles <p>Limit:</p> <ul style="list-style-type: none"> staff crossing between groups 	<p>Plus:</p> <ul style="list-style-type: none"> Clear comms: to parent / carers and on your setting website e.g. <p>In implementing these structural changes state how will you ensure:</p> <ul style="list-style-type: none"> Equal access to teaching and learning for all EHCP requirements will be met Provision for CiN, CYP on CP Plan, and LAC will be met Sufficient staffing capacity ensures effective curriculum delivery
Reducing mixing of staff e.g. by holding meetings remotely	<p>Where there is evidence, or high risk of transmission between staff and/or low vaccination rates amongst staff.</p> <p>Limit / review necessity for:</p> <ul style="list-style-type: none"> staff face to face meetings onsite CPD <p>Governor etc. monitoring visits</p>	
Temporary reinstating face coverings in communal areas and/or classrooms for staff (<u>primary age children should not be advised to wear masks</u>)	<p>Where there is high community transmission and/or high risk of transmission within the setting AND a cohort who can reasonably apply this measure. If other ventilation measures are hard to apply this may be recommended as an addition. Have clear comms: to parent/carers an on your setting website on the following:</p> <ul style="list-style-type: none"> Who and when the wearing of face coverings will apply and for how long How face coverings are made available to those who may not have their own A system for the wider community to understand and facilitate exemption rules 	
Limitation of residential education visits, open days, transition/taster days, parental attendance, live performances	<p>Where there is evidence of ongoing transmission within cohort where visits/etc planned.</p> <p>Limit / review necessity for:</p> <ul style="list-style-type: none"> residential trips sporting events open days, transition or taster days parental attendance in settings and at performances staff face to face meetings onsite CPD Governor etc. monitoring visits 	

Exceptional Outbreak Control Measures -These measures may be recommended in exceptional circumstances following a joint risk assessment (education and public health) via an Outbreak Control Team (OCT) meeting

Measures	Action	Additional planning
Reinstating on-site LFD testing. (Assisted testing site)	<p>Where asymptomatic uptake is sub optimal and there is evidence of significant asymptomatic spread within the setting. This measure may include daily testing for a defined group of students or staff.</p> <ul style="list-style-type: none"> Reintroduce on-site asymptomatic testing LA deploys a community testing van (PH decision) 	<p>Have clear comms: to parent / carers and on your setting website on the following:</p> <ul style="list-style-type: none"> When testing will take place Where testing will take place Who will receive on-site testing (which CYP) How testing will be undertaken
Attendance restrictions (see below for types of restrictions)	<p>NOTE: Any restrictions to the attendance of pupils (non-cases) may only be considered in extreme cases 'as a short-term measure and as a last resort'. where other measures have been implemented and have not broken chains of transmission ** IMT required**</p> <p>In all circumstances, priority should continue to be given to vulnerable children and young people and children of critical workers to attend to their normal timetables.</p> <p>Where measures include attendance restrictions, DfE may advise on any other groups that should be prioritised.</p>	
a. Partial closure	<p>Previously schools could contact trace and ask individuals who were close contacts to self-isolate and/or move classes to remote learning as necessary.</p> <p>Contact tracing <u>in an outbreak situation</u> is now termed as 'partial closure', as legally only over 18s who have not had both vaccine doses, or those with symptoms / those who have tested positive can be asked to isolate by NHS Test and Trace and those exempt do not need to isolate.</p>	<p>List what will be put in place should a large number of children and/or staff need to go home and be in receipt of high quality remote learning due to stepped up measures to break a chain of infection.</p> <ul style="list-style-type: none"> Provide location of your remote learning plan(s), e.g. remote learning policy). Be clear on how you will continue to prioritise meals or lunch parcels for pupils eligible for benefits-related free school meals while they are not attending because of COVID-19 isolation guidelines.
b. Full closure	<p>When transmission reaches the point that partial closures and/or staffing capacity can no longer maintain safe teaching and learning within the setting, the outbreak control process may recommend a move to remote learning for the whole school for a short period of time.</p>	<ul style="list-style-type: none"> Insert details of how you'll distribute meals or lunch parcels to pupils (e.g. parents collect from setting). Clear comms: to parent/carers and on your setting website of these arrangement <p>NOTE: CYP/staff are not being asked to isolate.</p>

		<p>In implementing this partial closure state how will you ensure:</p> <ul style="list-style-type: none"> • Equal access to teaching and learning for all • EHCP requirements will be met • Provision for CiN, CYP on CP Plan, and LAC will be met • Sufficient staffing capacity ensures effective curriculum delivery <p>Also outline:</p> <ul style="list-style-type: none"> • Travel plans to get children home, where appropriate • Provision of appropriate IT and technical support for remote learning
c. Wraparound care	<p>Limit access to before and after-school activities and wraparound care during term time and the summer holidays to those that need it most.</p> <p>If holiday clubs are cancelled following government advice, they should operate flexibly to ensure that eligible children still receive support that meets the aims of the programme.</p>	<ul style="list-style-type: none"> • Setting / Holiday activity provider to communicate who will be eligible to attend once the restrictions are confirmed.

SEE APPENDIX 2 – COVID MANAGEMENT FLOWCHART

<p>When should my child self-isolate or miss school?</p> 	 NO	<ul style="list-style-type: none"> • All children MUST attend school unless they are ill. • From 16th August 2021, children under 18 (or double vaccinated adults) do not need to self-isolate, or miss school if a member of their household or a contact, has COVID. • Instead, they need to book a PCR test but can continue coming to school so long as they have no symptoms and they have received a negative PCR test result.
	 YES	<ul style="list-style-type: none"> • If your child develops COVID symptoms at home, they should stay at home and should book a PCR test, (NOT a Lateral Flow test). • If your child develops COVID symptoms at school, they will be sent home and you should book them a PCR test. • If your child tests positive for COVID, they will need to self-isolate. The rest of the household does not need to self-isolate if they are under 18 or fully vaccinated – but instead should book a PCR test.